



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

HIGH FLUX



CH 270 125

Permeabilidad 125μ. Disponible en 26, 60, 125, 147, 160μ

Dia. Ext 27 mm. Disponible desde 3.5 mm a 165mm (OD)

High Flux core

Part NO.	Nominal Inductance(nH/N ²)					Weight (g)	Path Length (cm)	Cross Section Area (cm ²)	Dimensions(mm)	
	26	60	125	147	160				OD(Max) X ID(Min) X HT(Max)	Before Finish
CH035		13	26	31	33	0.09	0.817	0.0137	3.56×1.78×1.52	3.94×1.52×1.96
CH039		17	35	41	45	0.18	0.942	0.0211	3.94×2.24×2.54	4.32×1.98×2.97
CH046		20	42	49	53	0.25	1.06	0.0285	4.65×2.36×2.54	5.21×1.93×3.30
CH063	10	24	50	59	64	0.53	1.361	0.047	6.35×2.79×2.79	6.99×2.29×3.43
CH066	11	26	54	64	69	0.57	1.363	0.0476	6.60×2.67×2.54	7.24×2.29×3.18
CH067	21	50	103	122	132	1.07	1.363	0.092	6.60×2.67×4.78	7.32×2.21×5.54
CH068	14	33	70	81	89	0.98	1.65	0.0752	6.86×3.96×5.08	7.62×3.45×5.72
CH078	11	25	52	62	66	1.90	1.787	0.0615	7.87×3.96×3.18	8.51×3.43×3.81
CH096	11	25	53	63	68	1.34	2.18	0.0725	9.65×4.78×3.18	10.29×4.27×3.81
CH097	14	32	66	78	84	1.68	2.18	0.0945	9.65×4.78×3.96	10.29×4.27×4.57
CH102	14	32	66	78	84	2.00	2.38	0.1	10.16×5.08×3.96	10.80×4.57×4.57
CH112	11	26	53	63	68	2.08	2.69	0.0906	11.18×6.35×3.96	11.90×5.89×4.72
CH127	12	27	56	67	72	2.99	3.12	0.114	12.70×7.62×4.75	13.46×6.99×5.51
CH166	15	35	72	88	92	6.6	4.11	0.192	16.51×10.16×6.35	17.40×9.53×7.11
CH172	19	43	89	105	114	7.8	4.14	0.232	17.27×9.65×6.35	18.03×9.02×7.11
CH203	14	32	68	81	87	9.6	5.09	0.226	20.32×12.70×6.35	21.1×12.07×7.11
CH229	19	43	90	106	115	15.1	5.67	0.331	22.86×13.97×7.62	23.62×13.39×8.38
CH234	22	51	105	124	135	18.6	5.88	0.388	23.57×14.40×8.89	24.30×13.77×9.70
CH270	32	75	157	185	201	34.0	6.35	0.654	26.92×14.73×11.18	27.70×14.10×11.99



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

Part NO.	Nominal Inductance(nH/N ²)					Weight (g)	Path Length (cm)	Cross Section Area (cm ²)	Dimensions(mm)	
	26	60	125	147	160				OD(Max) X ID(Min) X HT(Max)	Before Finish
CH330	28	61	127	150	163	44.8	8.15	0.672	33.02×19.94×10.67	33.83×19.30×11.61
CH343	16	38	79	93	101	33.7	8.95	0.454	34.29×23.37×8.89	35.20×22.60×9.83
CH358	24	56	117	138	150	50	8.98	0.678	35.81×22.35×10.46	36.70×21.50×11.28
CH400	35	81	168	198	215	87	9.84	1.072	39.88×24.13×14.48	40.70×23.30×15.37
CH467	59	135	281	33	360	174	10.74	1.99	46.74×24.13×18.03	47.60×23.30×18.92
CH468	37	86	178	210	228	124	11.63	1.34	46.74×28.70×15.24	47.60×27.90×16.13
CH508	32	73	152	179	195	126	12.73	1.25	50.80×31.75×13.46	51.70×30.90×14.35
CH571	60	138	287	306	333	237	12.5	2.29	57.15×26.39×15.24	28.00×25.60×16.10
CH572	33	75	156	185	200	173	14.3	1.444	57.15×35.56×13.97	58.00×34.70×14.86
CH610		192	400			423	14.37	3.675	62.0×32.6×25.0	63.1×31.37×26.27
CH740		206	429			729	18.38	5.04	74.1×45.3×35.0	75.2×44.07×36.27
CH777	30	68	142			287	20	1.77	77.8×49.23×12.7	78.9×48.0×13.97
CH778	35	85	178			359	20	2.27	77.8×49.23×15.9	78.9×48.0×17.2
CH1013	40	92	192			609.6	24.27	2.97	101.6×57.2×13.6	103.1×55.7×14.9
CH1016	47	112	228			739.6	24.27	3.52	101.6×57.2×16.5	103.1×55.7×17.8
CH1027	80	184	384			1219.3	24.27	5.94	101.6×57.2×27.2	103.1×55.7×28.5
CH1033	94	224	456			1497.3	24.27	7.04	101.6×57.2×33.0	103.1×55.7×34.3
CH1320	54	124	259			1422.4	32.42	5.35	132.5×78.6×20.3	134.2×77.0×21.7
CH1325	68	156	325			1779.8	32.42	6.71	132.5×78.6×25.4	134.2×77.0×26.8
CH1333	88	202	422			2312.4	32.42	8.72	132.5×78.6×33.0	134.2×77.0×34.4
CH1340	108	248	518			2844.9	32.42	10.69	132.5×78.6×40.6	134.2×77.0×42.0
CH1625	80	184	3848			3120.2	38.65	9.46	165.0×88.9×25.4	167.2×86.9×27.3

Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610 - F: +34 936 565 327
 info@prodiferrite.com - www.prodiferrite.com

High Flux

