




Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

NUCLEOS DE FERRITA




TYPE	DIMENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T15222	152.0±5.0	104±3.60	22.0±0.50	5350	3300	5000	10000	3500	5350	11700
T15219	152.0 ±5.0	104.0 ±3.6	19.0 ±0.5	7200	2900	4300	8600	3000	7200	10100
T15215	152.0 ±5.0	104 ±3.60	15.0 ±0.50	5700	2300	3400	6800	2400	5700	7950
T10225	102.0 ±2	65.8 ±1.3	25.00 ±0.70	10900	4400	6600	13100	4600	10900	15300
T10222	102.0 ±2	65.8 ±1.3	22.00 ±0.50	9600	3850	5800	11500	4000	9600	13500
T10221	102.0 ±2	65.8 ±1.3	21.00 ±0.50	9200	3700	5500	11000	3800	9200	12400
T10220	102 ±2.0	65.8 ±1.3	20.0 ±0.5	8700	3500	5200	--	3700	8700	12300
T10218	102.0 ±2	65.8 ±1.3	18.00 ±0.50	7950	3200	4800	9500	3300	7950	14300
T10215	102.0 ±2.0	65.8 ±1.3	15.0 ±0.5	6400	2550	3850	7700	2700	6400	9000
T10020	100.0 ±3.0	55.0 ±1.5	20.0 ±0.6	11950	4800	7200	14300	5000	11950	--
T8756	87.0 ±1.2	56.0 ±1.0	12.7 ±0.5	5600	2200	3350	6700	2350	5600	7800
T8720	87.4 ±1.35	54.0 ±1.0	20.0 ±0.45	9600	3850	5800	11500	4000	9600	13400
T8714	87.4 ±1.35	54.0 ±1.0	13.8 ±0.45	6600	2600	4000	7900	2800	6600	9300
T8530	85.0 ±1.5	62.0 ±1.5	30.0 ±1.0	9300	3800	5700	11300	4000	9300	13200
T8520	85.0 ±1.5	62.0 ±1.5	20.0 ±1.0	6210	2450	3700	7400	2600	6210	8700
T8515	85.0 ±1.50	62.0 ±1.5	15.0 ±1.00	4700	1900	2800	5700	2000	4700	6600
T8022	80.0. ±1.5	50.0. ±0.9	22.0 ±1.0	10300	4100	6200	12400	4300	10300	14400
T8020A	80.0. ±2.5	40.0 ±1.2	20.0 ±0.5	13800	5500	8300	16600	5800	13800	19400



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com




TYPE	MENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T8020	80.0 ±1.50	50.0 ±0.90	20.0 ±1.00	9400	3750	5600	11200	3950	9400	13100
T8015A	80.0 ±2.5	40.0 ±1.2	15.0 ±0.5	10400	4160	6200	12500	4400	10400	11400
T7313	73.7 ±1.5	38.9 ±0.8	12.7 ±0.3	8100	3250	4800	9700	3400	8100	11400
T6325	63.0 ±1.3	38.0 ±0.8	25.0 ±0.5	12600	5050	7600	15100	5300	12600	17700
T6320	63.0 ±1.30	38.0 ±0.80	20.0 ±0.50	10100	4000	6000	--	4250	10100	--
T6318	63.0 ±1.30	38.0 ±0.80	18.5 ±0.50	9300	3700	5600	--	3900	9300	--
T6315	63.0 ±1.3	38.0 ±0.8	15.05 ±0.4	7600	3000	4500	9100	3200	7600	10600
T6313	63.0 ±1.3	38.0 ±0.8	12.7 ±0.3	6400	2550	3850	7700	2650	--	9000
T6113	61.0 ±0.9	35.6 ±0.9	12.7 ±0.3	6800	2700	4100	8200	2900	6800	9600
T6020	60.0 ±1.00	30.0 ±0.80	20.0 ±0.50	13800	5500	8300	--	5800	13800	--
T5818	58.3 ±1.0	40.8 ±0.8	17.6 ±0.5	6000	2400	3600	7200	2500	6000	8400
T5806	58.3 ±1.00	40.8 ±0.80	6.0 ±0.40	2100	850	1300	2600	900	2100	3000
T5618	56.0 ±1.2	32.0 ±0.65	18.0 ±0.5	10000	4000	6000	12000	4200	10000	14000
T5030	50.0 ±1.0	34.0 ±0.8	30.0 ±0.6	11500	4600	6950	13800	4850	11500	16200
T5025	50.0 ±1.00	34.0 ±0.80	25.0 ±0.5	9600	3850	5800	--	4050	9600	--
T5020	50.0 ±1.0	30.0 ±0.65	20.0 ±0.5	10200	4100	6100	12200	4300	10200	14300
T5019	50.0 ±1.0	34.0 ±0.8	19.0 ±0.5	7300	2900	4400	8800	3100	7300	10200
T4919	49.0 ±1.0	31.8 ±0.7	19.0 ±0.5	8200	3300	4950	9800	3450	8200	11500



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com




TYPE	MENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T4518	45.0 ±1.35	28.0 -0.08	18.0 ±0.40	8500	3400	5100	10200	3600	8500	11900
T4516	45.0 ±1.35	28.0 ±0.8	16.0 ±0.4	7600	3000	4500	9100	3200	7600	10600
T4511	45.0 ±1.35	28.0 ±0.8	11.0 ±0.4	5200	2100	3100	6200	2200	5200	7300
T4218	42.0 ±0.6	21.0 ±0.5	18.5 ±0.4	6800	5100	7700	15300	5400	12800	17900
T4218A	41.8 ±1.0	26.2 ±0.6	18.0 ±0.5	--	3400	5000	10100	3500	8400	11700
T4212	41.8 ±1.0	26.2 ±0.6	12.5 ±0.3	5800	2300	3500	7000	2400	5800	8200
T4016	39.9 ±0.6	24.1 ±0.5	16.0 ±0.3	8000	3200	4800	9700	3400	8000	11000
T3829	38.0 ±0.60	22.0 ±0.45	29.0 ±0.50	15800	6300	9500	--	6600	15800	--
T3821	38.1 ±0.70	19.0 ±0.50	21.0 ±0.50	14600	5850	8700	--	6100	14600	--
T3819A	38.0 ±0.6	22.0 ±0.45	18.5 ±0.35	10100	4000	6000	12100	4200	10100	14100
T3819	38.0 ±0.60	22.0 ±0.45	18.5 ±0.35	7650	3050	4600	9200	3200	7650	10700
T3816	38.1 ±0.7	25.4 ±0.5	15.8 ±0.4	6250	2500	3750	--	2600	6250	7500
T3813	38.1 ±0.5	25.4 ±0.5	12.7 ±0.2	5000	2000	3000	6000	2100	5000	7000
T3813A	38.1 ±0.7	19.0 ±0.5	12.9 ±0.4	8900	3500	5300	10800	3700	8900	12400
T3618	36.0 ±0.70	23.0 ±0.50	18.0 ±0.40	6700	2700	4000	6850	2800	--	9400
T3617	36 ±0.7	23 ±0.5	17 ±0.4	7600	3050	4550	9100	3200	7600	10600
T3615	36.0 ±0.7	23.0 ±0.5	15.0 ±0.4	6650	2650	4050	8000	2800	6650	9500
T3421	34.0 ±0.70	21.8 ±0.50	21.0 ±0.40	9300	3700	5600	11200	3900	9300	--



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com




TYPE	MENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T3415	34.0 ±0.70	21.8 ±0.50	15.0 ±0.30	6650	2650	4000	8000	2800	6650	9300
T3115	31.5 ±1.0	19.0 ±0.6	15.0 ±0.4	7700	3100	4650	9300	3250	7700	10800
T3113	31.0 +0.8-0.5	19.0 ±0.6	13.0 ±0.5	6800	2700	4100	8200	2900	6800	9500
T3112	31.5 ±1.0	19.0 ±0.6	12.5 ±0.4	6300	2500	3800	7600	2650	6300	8800
T3109	31.5 ±1.00	19.0 ±0.60	9.5 ±0.40	4800	1900	2850	5800	2000	4800	6700
T3106	31.5 ±1.0	19.0 ±0.6	6.35 ±0.3	--	1300	1900	3850	1350	3200	4500
T2915	29.6 ±0.7	18.4 ±0.6	14.9 ±0.4	7100	2850	4250	5500	2950	7100	9900
T2910	29.50 ±0.70	18.40 ±0.60	10.0 ±0.40	4700	1900	2800	5650	2000	4700	6600
T2908	29.6 ±0.7	18.4 ±0.6	8.5 ±0.4	--	1400	2100	4300	1500	3550	5000
T2907	29.6 ±0.70	18.4 ±0.60	7.5 ±0.30	3500	1400	2100	4300	1500	3500	5000
T2820A	27.5 ±0.6	14.9 ±0.4	20.0 ±0.4	--	4900	7300	14700	5150	12200	17100
T2815	28.0 ±0.70	14.0 ±0.50	14.9 ±0.40	10300	4100	6200	--	4300	10300	--
T2813A	27.5 ±0.6	14.9 ±0.4	13.0 ±0.4	8000	3200	4800	9500	3350	8000	11100
T2620	26.0 ±0.55	14.5 ±0.35	20.0 ±0.3	11600	4700	7000	14000	4900	11600	16300
T2615	26.0 ±0.55	14.5 ±0.35	15.0 ±0.3	8750	3500	5250	10500	3650	8750	12200
T2610	26.0 ±0.55	14.5 ±0.35	10.0 ±0.3	5700	2250	3400	6800	2350	5700	7300
T2515	25.0 ±0.5	15.05 ±0.5	15.0 ±0.5	7600	3050	4550	9100	3200	7600	10600
T2513	25.0 ±0.5	15.05 ±0.5	13.0 ±0.5	6600	2600	3950	7900	2750	6600	9200
T2512	25.0 ±0.5	15.05 ±0.5	12.0 ±0.5	5800	2350	--	7000	2450	5800	8200



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com




TYPE	MENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T2510	25.0 ±0.5	15.05 ±0.5	10.0 ±0.5	5100	2050	3000	6100	2100	5100	7100
T2506F	25.4 ±0.6	15.5 ±0.5	6.35 ±0.25	--	1250	--	3750	1300	3100	4400
T2212A	22.1 ±0.4	13.7 ±0.3	12.7 ±0.4	6200	2450	3700	7400	2600	6200	8650
T2212	22.1 ±0.40	13.7 ±0.30	12.0 ±0.40	5700	2300	3400	6900	2400	5700	8000
T2210	22.1 ±0.4	13.7 ±0.3	10.0 ±0.35	--	2000	3000	6050	2100	5000	7050
T2208	22.1 ±0.4	13.7 ±0.3	8.0 ±0.3	4000	1600	2400	4800	1700	4000	5650
T2206	22.1 ±0.4	13.7 ±0.3	6.35 ±0.3	3000	1200	1800	3600	1300	3000	4200
T2106	21.0 -0.5	13.0 ±0.5	6.0 -0.5	2850	1150	1700	3400	1200	2850	4000
T2104	21.0 ±0.40	13.2 ±0.50	4.1 ±0.25	1900	750	1100	2300	800	1900	2700
T2010	20.0 ±0.4	10.0 ±0.25	10.0 ±0.4	6900	2750	4150	8300	2900	6900	9700
T2008	20.0 ±0.4	10.0 ±0.5	8.0 ±0.40	5500	2200	3300	6600	2300	5500	7700
T2007	20.0 ±0.4	10.0 ±0.25	7.0 ±0.3	4850	1950	2900	5800	2000	4850	6800
T1912	19.0 ±0.4	10.8 ±0.3	12.1 ±0.4	--	2700	4100	8200	2800	6800	9500
T1910	19.0 ±0.40	10.8 ±0.30	10.0 ±0.30	5650	2250	3350	6750	2350	5650	7900
T1908	19.0 ±0.4	10.8 ±0.3	8.0 ±0.25	4500	1800	2700	5400	1900	4500	6320
T1904	19.0 ±0.40	10.8 ±0.30	3.4 ±0.25	2250	900	1350	2700	950	2250	3200
T1812	17.5 ±0.50	11.05 ±0.30	12.0 ±0.40	5500	2200	3300	6600	2300	5500	7700
T1810	17.5 ±0.5	11.05 ±0.3	10.0 ±0.3	5900	2350	3550	7000	2500	5900	8200



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com




TYPE	MENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T1808	17.5 ±0.50	11.05 ±0.30	8.0 ±0.20	3700	1450	2200	4400	1550	3700	5150
T1807	17.5 ±0.5	11.05 ±0.3	7.0 ±0.2	2900	1200	1750	4500	1250	--	4700
T1805	17.5 ±0.50	11.05 ±0.30	5.0 ±0.20	2300	900	1400	2750	950	2300	3200
T1611	16.0 ±0.5	8.0 ±0.4	11.0 ±0.4	7600	3050	4600	9100	3200	7600	--
T1608	16.0 ±0.5	9.6 ±0.4	8.0 ±0.3	--	1600	2450	4900	1700	4100	5700
T1607	16.0 ±0.40	9.6 ±0.30	7.0 ±0.20	3600	1400	2150	4300	1500	3600	--
T1606	16.0 ±0.4	9.6 ±0.3	6.3 ±0.2	3200	1300	1950	3900	1350	3200	4500
T1605	16.0 ±0.4	9.6 ±0.3	5.0 ±0.2	2600	1025	1550	3100	1075	2600	3600
T1528	15.15 ±0.50	28.15 ±0.40	9.5 ±0.40	13100	5300	7900	--	5500	13100	--
T1407	14.0 ±0.3	9.0 ±0.2	7.0 ±0.2	3100	1200	1850	3700	1300	3100	4300
T1405	14.0 ±0.3	9.0 ±0.2	4.9 ±0.2	2150	880	1325	2700	900	2150	3100
T1306A	12.9 ±0.25	7.9 ±0.2	6.2 ±0.2	3050	1200	1825	3650	1250	3050	4250
T1306	13.0 ±0.4	7.0 ±0.3	6.0 ±0.3	3700	1500	2200	4400	1550	3700	5200
T1305	13.0 ±0.4	7.0 ±0.3	5.0 ±0.3	265	1200	1800	3550	1250	3000	4100
T1303	13.0 ±0.4	7.0 ±0.3	3.2 ±0.2	1950	800	1200	2350	825	1950	2700
T1206	12.5 ±0.40	7.5 ±0.40	6.0 ±0.30	3100	1200	1850	5700	1300	3100	4300
T1205	12.5 ±0.4	7.5 ±0.4	5.0 ±0.3	--	1000	--	3050	1100	2500	3550



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com



TYPE	MENSIONS(mm)			AL (nH) +30% -20%						
	A	B	C	CF265	CF196	CF130	CF190	CF 139	CF195	CF197
T1007	12.5 ±0.4	7.5 ±0.4	5.0 ±0.3	--	1000	--	3050	1100	2500	3550
T1005A	10.0 ±0.30	6.0 ±0.25	7.0 ±0.30	3550	1400	2100	4300	1500	3550	5000
T1005	10.0 ±0.3	5.5 ±0.2	4.5 ±0.3	2700	1050	1600	3200	1125	2700	3700
T1004	10.0 ±0.30	6.0 ±0.25	5.0 ±0.30	2550	1000	1500	3050	1050	2550	3550
T1003	--	6.0 ±0.2	4.0 ±0.3	2000	800	1200	2400	850	2000	2800
T0910F	10.0 ±0.30	6.0 ±0.25	3.0 ±0.30	1550	600	900	1850	650	1550	2150
T0906	9.50 ±0.25	4.90 ±0.15	10.4 ±0.25	--	2800	4200	8400	2900	7000	9800
T0905	9.53 ±0.30	4.75 ±0.20	6.00 ±0.20	4200	1700	2500	5000	1750	4200	5900
T1806	9.53 ±0.30	4.75 ±0.20	5.18 ±0.20	3500	400	2100	4150	1450	3500	4800
T0904	17.5 ±0.50	11.05 ±0.30	6.0±0.20	2750	1100	1650	3300	1150	2750	3850
T0903	9.53±0.30	4.75±0.20	3.80±0.20	2650	1100	1600	3200	1150	2650	3700
T0804	9.53±0.3	4.75±0.2	3.18±0.2	2100	880	1300	2500	925	2100	3000
T0705	8.00±0.30	4.0±0.20	--	2700	1100	1600	3250	1150	2700	3800
T0704A	7.6±0.2	3.4±0.1	5.0±0.2	--	1550	2300	4600	1600	3850	5400
T0704	7.6±0.2	3.4±0.1	--	3150	1250	1900	3800	1350	3150	4400
T0702A	7.62±0.38	3.18±0.38	4.78±0.25	4200	1700	2500	5000	1750	4200	5850
T0603A	7.2±0.20	3.3±0.20	2.30±0.20	1600	650	950	1950	700	1600	2300
T0603	6.3±0.25	3.8±0.15	3.20±0.15	2100	800	1250	2500	900	2100	2900
T0602	5.85±0.28	3.05±0.28	3.18±0.25	2100	800	1250	2500	850	2100	2900