


TOROIDAL CORES


ITEM	Unit:mm	Unit:mm			Impedance () min		AL(nH)
		ϕA	ϕC	ϕD	25MHz	100MHz	
3.2X1X0.15	K5A T	3.2±0.15	1.25±0.1	3±0.2	-	-	368
3.55X1X3	K5A T	3.5±0.15	1±0.1	3±0.2	-	20	467
3.5X1.3X3	K5A T	3.5±0.15	1.3±0.1	3±0.2	-	20	385
4X2X3	K6 T	4±0.2	2±0.15	3±0.2	-	16	600
4.1X2X3	K6 T	4.1±0.2	2±0.15	3±0.2	-	15	620
4.5X1.5X3.5	K5A T	4.5±0.2	1.5±0.15	3.5±0.2	70	100	490
5X1.5X4	K6 T	4±0.2	1.5±0.15	4±0.3	-	-	1292
5X3X2	K5A T	5±0.2	3±0.2	2±0.2	-	-	140
5.08X2.36X4.8	K5A T	5.08±0.2	2.36±0.15	4.8±0.3	310	490	491
6X1.8X3	K5A T	6±0.2	1.8±0.15	3±0.2	-	-	453
6X3X2	K6 T	6±0.2	3±0.2	2±0.2	-	-	400
6X3X3	K6 T	6±0.2	3±0.2	3±0.2	-	-	10
7X3.5X4	K5A T	7±0.2	3.5±0.2	4±0.3	15	45	373
7.62X3.18X4.78	K6 T	7.62±0.2	3.18±0.2	4.78±0.3	25	50	1179
8X4X4	K6 T	8±0.2	4±0.2	4±0.3	-	-	800
9X5X3	K6 T	9±0.3	5±0.25	3±0.2	-	-	514
9.15X5.02X4.7	K5 T	9.15±0.3	5.02±.25	4.7±0.3	-	35	548
9.4X6.3X6.2	K5A T	9.4±0.3	6.3±0.3	6.2±0.3	10	25	343
9.5X4.75X4.8	K5A T	9.5±0.3	4.75±0.2	4.8±0.3	-	30	448
9.5X4.79X5	K5A T	9.5±0.3	4.78±0.2	5±0.3	-	-	461
9.5X5.02X5	K5A T	9.5±0.3	5.02±0.3	5±0.3	20	35	432
9.5X5X5	K5A T	9.5±0.3	5±0.3	5±0.3	20	35	434
9.53X4.75X3.2	P3 T	9.53±0.3	4.75±0.25	3.2±0.2	-	50	43
9.53X5.02X4.8	K5 T	9.53±0.3	5.02±0.25	4.8±0.3	-	30	595
9.58X6.4X5	K5A T	9.58±0.3	6.4±0.3	5±0.3	-	-	279
9.6X6.4X7.4	K5A RH	9.6±0.3	6.4±0.3	7.4±0.3	-	-	414
9.65X5.02X4.83	K6 T	9.65±0.3	5.02±0.25	4.83±0.2	10	30	-



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

ITEM		Unit:mm			Impedance		AL(nH)
		ø A	ø C	ø D	() min		
					25MHz	100MHz	
9.65X5X5.05	K5A T	9.65±0.3	5±0.2	5.05±0.3	21	43	449
9.8X6.3X7.4	K5A T	9.8±0.3	6.30±0.3	7.4±0.3	-	45	450
10X4X6	K5A T	10±0.3	4±0.2	6±0.3	-	-	720
10X5.1X9	P1B T	10±0.3	5.1±0.25	9±0.3	30	60	673
10X5X5	K5A T	10±0.3	5±0.25	5±0.3	-	-	467
10X6X4	K6 T	10±0.3	6±0.3	4±0.3	-	-	600
10X7X5	K5A T	10±0.3	7±0.3	5±0.3	15	40	247
12X6X6	K6 T	12±0.3	6±0.3	6±0.3	-	-	-
12X7X5.5	K5A T	12±0.3	7±0.3	5.5±0.3	15	40	405
12.7X7.9X6.35	K5A T	12.7±0.3	7.9±0.3	6.35±0.3	21	42	414
13X7X3	K5A T	13±0.3	7±0.3	3±0.2	15	30	252
13X7.3X12.7	K6 T	13±0.3	7.3±0.3	12.7±0.4	-	-	-
13X8X12.7	K5A T	13±0.3	8±0.3	12.7±0.3	-	30	847
14X8.7X7	K5A T	14±0.4	8.7±0.3	7±0.3	25	45	458
14.2X4.5X6	K5 T	14.2±0.4	4.5±0.4	6±0.3	35	85	1245
14.2X6.35X13.8	K5A T	14.2±0.4	6.35±0.3	13.8±0.4	60	100	1476
14.5X10.5X8	K5A T	14.5±0.4	10.5±0.4	8±0.3	15	45	358
15.7X10X4.3	K5A T	15.7±0.4	10±0.4	4.3±0.3	-	35	367
15.9X7.9X14.3	K5A T	15.9±0.4	7.9±0.3	14.3±0.4	60	100	1346
16X8X13	K5A T	16±0.4	8±0.3	13±0.4	45	90	1213
16X10X5	K5A T	16±0.4	10±0.4	6±0.3	-	-	323
15X12X8	K6 T	16±0.4	12±0.4	8±0.3	-	30	686
16.5X8.2X13	K5A T	16.5±0.4	8.2±0.3	13±0.4	45	100	1223
17.4X9.6X15	K5A T	17.4±0.4	9.6±0.3	15±0.4	-	-	1213
17.5X9.5X12.7	K5A T	17.5±0.4	9.5±0.3	12.7±0.4	45	70	1054
18X7X3	C8 T	18±0.5	7±0.3	3±0.2	-	-	106
18.3X10X10	K5A T	18.3±0.5	10±0.4	10±0.4	30	80	-
18.4X9.5X15	K5A T	18.4±0.5	9.5±0.3	15±0.4	50	85	1340
18.4X9.6X12	K5A T	18.4±0.5	9.6±0.3	12±0.4	45	80	1056
18.7X10.2X17	K5A T	18.7±0.5	10.2±0.4	17±0.4	45	80	1400
20X10X10	K5A T	20±0.6	10±0.4	10±0.4	140	250	933
20.7X12X14	K5A T	20.7±0.6	12±0.4	14±0.4	140	250	980
21X13.2X12	K5A T	21±0.6	13.2±0.4	12±0.4	30	65	776
21.2X12.7X6.1	K5A T	21.2±0.6	12.7±0.4	6.1±0.3	30	65	428
22X13.5X8	K5A T	22±0.6	13.5±0.4	8±0.3	30	60	536
22X14X8	K5A T	22±0.6	14±0.4	8±0.3	30	60	498
22.1X13.7X6.35	K5A T	22.1±0.6	13.7±0.4	6.35±0.3	15	45	-
22.5X13.8X6.4	K5A T	22.5±0.6	13.8±0.4	6.4±0.3	15	45	-
22.5X13.8X12.8	K5A T	22.5±0.6	13.8±0.4	12.8±0.4	40	80	-
23X6.35X13.5	K5A T	23±0.6	6.35±0.3	13.5±0.4	-	-	1809
23X11X14	K5A T	23±0.6	11±0.4	14±0.4	60	110	1384
23X13.5X6.34	K5A T	23±0.6	13.5±0.4	6.35±0.4	15	45	463



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

ITEM	Unit:mm	Impedance			AL(nH)		
		() min					
		25MHz	100MHz				
		ø A	ø C	ø D			
23.5X12.6X9.4	K6A T	23.5±0.6	12.6±0.4	9.4±0.3	60	120	1703
24X11X14	K5A T	24±0.6	14±0.4	14±0.4	60	100	1456
24X14X11	K5A T	24±0.6	14±0.4	11±0.4	35	63	-
25x15x8.1	K5A T	25±0.6	15±0.4	8.1±0.3	-	-	-
25X15X12	K5A T	25±0.6	15±0.5	12±0.4	35	80	467
28X16X13	K6 T	28±0.6	16±0.3	13±0.4	40	80	993
29X19X7.5	K5A T	29±0.6	19±0.5	7.5±0.3	20	50	438
29X19X8.1	K5A T	29±0.6	19±0.5	8.1±0.3	-	-	-
31X19X8	K5 T	31±0.9	19±0.5	8±0.3	25	60	-
31.75X19.05X16	K5A T	31.75±0.8	19.05±0.5	16±0.4	50	90	-
31.75X19.05X22.5	K5A T	31.75±0.8	19.05±0.8	22.5±0.6	60	90	-
35.6X23X12.7	K5A T	35.6±0.8	23±0.6	12.7±0.4	25	90	765
35.6X25.4X7.5	K5A T	35.6±0.8	25.4±0.6	7.5±0.2	25	90	351
40.6X27.5X15	K5A T	40.6±1	27.5±0.6	15±0.4	35	85	808
40.6X27X15	K5A T	40.6±1	27±0.6	15±0.4	35	85	845