




Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

SENDUST CORE



CS 270 125




Part NO.	Nominal Inductance(nH/N ²)					Weight (g)	Path Length (cm)	Cross Section Area (cm ²)	Dimensions(mm)	
	26	60	70	90	125				OD(Max) X ID(Min) X HT(Max)	Before Finish
CS035		13	16	19	26	0.07	0.817	0.0137	3.56×1.78×1.52	3.94×1.52×1.96
CS039		17	21	25	35	0.13	0.942	0.0211	3.94×2.24×2.54	4.32×1.98×2.97
CS046		20	25	30	42	0.20	1.06	0.0285	4.65×2.36×2.54	5.21×1.93×3.30
CS063	10	24	30	36	50	0.41	1.361	0.047	6.35×2.79×2.79	6.99×2.29×3.43
CS066	11	26	32	39	54	0.44	1.363	0.0476	6.60×2.67×2.54	7.24×2.29×3.18
CS067	21	50	62	74	103	0.83	1.363	0.092	6.60×2.67×4.78	7.32×2.21×5.54
CS068	14	33	42	50	70	0.76	1.65	0.0725	6.86×3.96×5.08	7.62×3.45×5.72
CS078	11	25	31	37	52	0.69	1.787	0.0615	7.87×3.96×3.18	8.51×3.43×3.81
CS096	11	25	32	38	53	1.04	2.18	0.0752	9.65×4.78×3.18	10.29×4.27×3.81
CS097	14	32	40	48	66	1.30	2.18	0.0945	9.65×4.78×3.96	10.29×4.27×4.57
CS102	14	32	40	48	66	1.55	2.38	0.1	10.16×5.08×3.96	10.80×4.57×4.57
CS112	11	26	32	38	53	1.57	2.69	0.0906	11.18×6.35×3.96	11.90×5.89×4.72
CS127	12	27	34	40	56	2.32	3.12	0.114	12.70×7.62×4.75	13.46×6.99×5.51
CS166	15	35	43	52	72	5.2	4.11	0.192	16.51×10.16×6.35	17.40×9.53×7.11
CS172	19	43	53	64	89	6.1	4.14	0.232	17.27×9.65×6.35	18.03×9.02×7.11
CS203	14	32	41	49	68	7.4	5.09	0.226	20.32×12.70×6.35	21.1×12.07×7.11
CS229	19	43	54	65	90	11.7	5.67	0.331	22.86×13.97×7.62	23.62×13.39×8.38
CS234	22	51	63	76	105	14.5	5.88	0.388	23.57×14.40×8.89	24.30×13.77×9.70
CS270	32	75	94	113	157	26.4	6.35	0.654	26.92×14.73×11.18	27.70×14.10×11.99
CS330	28	61	76	91	127	34.8	8.15	0.672	33.02×19.94×10.67	33.83×19.30×11.61
CS343	16	38	47	57	79	26.2	8.95	0.454	34.29×23.37×8.89	35.20×22.60×9.83



Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2
 08620 Sant Vicenç dels Horts - Barcelona - España
 T: +34 936 724 610
 info@prodinferrite.com - www.prodinferrite.com

Part NO.	Nominal Inductance(nH/N ²)					Weight (g)	Path Length (cm)	Cross Section Area (cm ²)	Dimensions(mm)	
									OD(Max) X ID(Min) X HT(Max)	
	26	60	70	90	125				Before Finish	After Finish
CS358	24	56	70	84	117	39	8.98	0.678	35.81×22.35×10.46	36.70×21.50×11.28
CS400	35	81	101	121	168	67	9.84	1072	39.88×24.13×14.48	40.70×23.30×15.37
CS467	59	135	169	202	281	134	10.74	1.99	46.74×24.13×18.03	47.60×23.30×18.92
CS468	37	86	107	128	178	96	11.63	1.34	46.74×28.70×15.24	47.60×27.90×16.13
CS508	32	73	91	109	152	98	12.73	1.25	50.80×31.75×13.46	51.70×30.90×14.35
CS571	60	138	172	206	287	184	12.5	2.29	57.15×26.39×15.24	28.00×25.60×16.10
CS572	33	75	94	112	156	133	14.3	1.444	57.15×35.56×13.97	58.00×34.70×14.86
CS610	83	192	240	288	400	329	14.37	3.675	62.0×32.6×25.0	63.1×31.37×26.27
CS740		206	257	309	429	566	18.38	5.04	74.1×45.3×35.0	75.2×44.07×36.27
CS777	30	68	85	102	124	223	20	1.77	77.8×49.23×12.7	78.9×48.0×13.97
CS778	37	85	107	128	178	279	20	2.27	77.8×49.23×15.9	78.9×48.0×17.2
CS1013	40	92	192			471.6	24.27	2.97	101.6×57.2×13.6	103.1×55.7×14.9
CS1016	47	112	228			572.1	24.27	3.52	101.6×57.2×16.5	103.1×55.7×17.8
CS1027	80	184	384			943.2	24.27	5.94	101.6×57.2×27.2	103.1×55.7×28.5
CS1033	94	224	456			1144.3	24.27	7.04	101.6×57.2×33.0	103.1×55.7×34.3
CS1320	54	124	259			1100.3	32.42	5.35	132.5×78.6×20.3	134.2×77.0×21.7
CS1325	68	156	325			1376.8	32.42	6.71	132.5×78.6×25.4	134.2×77.0×26.8
CS1333	88	202	422			1788.8	32.42	8.72	132.5×78.6×33.0	134.2×77.0×34.4
CS1340	108	248	518			2200.7	32.42	10.69	132.5×78.6×40.6	134.2×77.0×42.0
CS1625	80	184	384			2413.7	38.65	9.46	165.0×88.9×25.4	167.2×86.9×27.3



Sendust