



## Prodin Ferrite S.L.

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2  
 08620 Sant Vicenç dels Horts - Barcelona - España  
 T: +34 936 724 610  
 info@prodinferrite.com - www.prodinferrite.com

### MEGA FLUX



CK 270 125

Permeabilidad 125 $\mu$ . Disponible en 26, 50, 60, 75, 90 $\mu$   
 Dia. Ext 27 mm. Disponible desde 3.5 mm a 165mm (OD)  
 Mega Flux Core

Part NO.	Nominal Inductance(nH/N <sup>2</sup> )					Weight (g)	Path Length (cm)	Cross Section Area (cm <sup>2</sup> )	Dimensions(mm)	
	26	60	75	90	125				(Max) X ID(Min) X HT(Max)	Before Finish
CK078	11	20	25	31	37	0.80	1.787	0.0615	7.87×3.96×3.18	8.51×3.43×3.81
CK102	14	26	32	40	48	1.79	2.38	0.1	10.16×5.08×3.96	10.80×4.57×4.57
CK112	11	21	26	32	38	1.81	2.69	0.0906	11.18×6.35×3.96	11.90×5.89×4.72
CK127	12	22	27	34	40	2.69	3.12	0.114	12.70×7.62×4.75	13.46×6.99×5.51
CK166	15	29	35	43	52	6.0	4.11	0.192	16.51×10.16×6.35	17.40×9.53×7.11
CK172	19	35	43	53	64	7.1	4.14	0.232	17.27×9.65×6.35	18.03×9.02×7.11
CK203	14	26	32	41	49	8.7	5.09	0.226	20.32×12.70×6.35	21.1×12.07×7.11
CK229	19	35	43	54	65	13.6	5.67	0.331	22.86×13.97×7.62	23.62×13.39×8.38
CK234	22	42	51	63	76	16.8	5.88	0.388	23.57×14.40×8.89	24.30×13.77×9.70
CK270	32	62	75	94	113	30.6	6.35	0.654	26.92×14.73×11.18	27.70×14.10×11.99
CK330	28	50	61	76	91	40.4	8.15	0.672	33.02×19.94×10.67	33.83×19.30×11.61
CK343	16	31	38	47	57	30.3	8.95	0.454	34.29×23.37×8.89	35.20×22.60×9.83
CK358	24	46	56	70	84	45	8.98	0.678	35.81×22.35×10.46	36.70×21.50×11.28
CK400	35	67	81	101	121	78	9.84	1.072	39.88×24.13×14.48	40.70×23.30×15.37
CK467	59	112	135	169	202	156	10.74	1.99	46.74×24.13×18.03	47.60×23.30×18.92
CK468	37	71	86	107	128	112	11.63	1.34	46.74×28.70×15.24	47.60×27.90×16.13
CK508	32	60	73	91	109	114	12.73	1.25	50.80×31.75×13.46	51.70×30.90×14.35
CK571	60	115	138	172	206	213	12.5	2.29	57.15×26.39×15.24	28.00×25.60×16.10
CK572	33	62	75	94	112	154	14.3	1.444	57.15×35.56×13.97	58.00×34.70×14.86



**Prodin Ferrite S.L.**

Polígono Industrial "Molí dels Frares" Calle C/A - Nave 2  
 08620 Sant Vicenç dels Horts - Barcelona - España  
 T: +34 936 724 610  
 info@prodinferrite.com - www.prodinferrite.com

Part NO.	Nominal Inductance(nH/N <sup>2</sup> )					Weight (g)	Path Length (cm)	Cross Section Area (cm <sup>2</sup> )	Dimensions(mm)	
	26	60	75	90	125				(Max) X ID(Min) X HT(Max)	Before Finish
CK610	83	160	192			381	14.37	3.675	62.0×32.6×25.0	63.1×31.37×26.27
CK740	89	171	206			656	18.38	5.04	74.1×45.3×35.0	75.2×44.07×36.27
CK777	30	56	68			258	20	1.77	77.8×49.23×12.7	78.9×48.0×13.97
CK778	37	70	85			323	20	2.77	77.8×49.23×15.9	78.9×48.0×17.2
CK1013	40	92	192			548.6	24.27	2.97	101.6×57.2×13.6	103.1×55.7×14.9
CK1016	47	112	228			665.6	24.27	3.52	101.6×57.2×16.5	103.1×55.7×17.8
CK1027	80	184	384			1097.3	24.27	5.94	101.6×57.2×27.2	103.1×55.7×28.5
CK1033	94	224	456			1331.3	24.27	7.04	101.6×57.2×33.0	103.1×55.7×34.3
CK1320	54	124	259			1280.1	32.42	5.35	132.5×78.6×20.3	134.2×77.0×21.7
CK1325	68	156	325			1601.7	32.42	6.71	132.5×78.6×25.4	134.2×77.0×26.8
CK1333	88	202	422			2080.9	32.42	8.72	132.5×78.6×33.0	134.2×77.0×34.4
CK1340	108	248	518			2560.8	32.42	10.69	132.5×78.6×40.6	134.2×77.0×42.0
CK1625	80	184	384			2808.0	38.65	9.46	165.0×88.9×25.4	167.2×86.9×27.3

