









EP Ferrite Core Coil Bobbins

MILES · PLATTS

EP 7





Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	0.7 Kg Minimum
Part number	EP07H1S06IS-00







Dimensions in millimetres

EP 7



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	0.7 Kg Minimum
Part number	EP07H2S06IS-00



Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)


Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com

EP 7



EP07CLIPM-04



Mounting Clip	
Clip material	Stainless Steel
Part No.	EP07CLIPM-04


Dimensions in millimetres




EP Ferrite Core Coil Bobbins

MILES · PLATTS

EP 7



EP07CLIPM-01



Mounting clip with earth pin


Clip material	Phosphor Bronze
Clip plating	Tin (Sn)
Solderability	"IEC 60 068-2-20", Part 2, Test Ta, method 1
Part number	EP07CLIPM-01

Dimensions in millimetres

EP 7



EP07CLIPM-03



Mounting clip with earth pin

Clip material	Stainless Steel
Part number	EP07CLIPM-03

Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com





MILES · PLATTS

EP Ferrite Core Coil Bobbins


EP 10



EP10H1S08IS-00



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	1.5 Kg Minimum
Part number	EP10H1S08IS-00





Dimensions in millimetres


EP 10



EP10H2S08IS-00



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	1.0 Kg Minimum
Part number	EP10H2S08IS-00



Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com





EP Ferrite Core Coil Bobbins

EP 10



EP10CLIPM-01




Mounting Clip	
Clip material	Steel
Part No.	EP10CLIPM-01

Dimensions in millimetres

EP 10



EP10CLIPEM-00



ial
ty


Mounting clip with earth pin	
Clip material	Steel
Clip plating	Tin (Sn)
Solderability	"IEC 60 068-2 20,Part 2,Test Ta,method 1
Part number	EP10CLIPEM-00

Dimensions in millimetres



EP Ferrite Core Coil Bobbins

EP 10




Mounting clip without earth pin	
Clip material	Steel
Part No.	EP10CLIPM-02

Dimensions in millimetres

EP 10



EP10YOKEEM-00




Mounting yoke	
Clip material	Steel
Clip plating	Tin (Sn)
Solderability	"IEC 60 068-2 20, Part 2, Test Ta, method 1
Part number	EP10YOKEEM-00

Dimensions in millimetres

EP 10



EP10SPRINGM-00



Mounting spring	
Clip material	Steel
Part No.	EP10SPRINGM-00

Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com





EP Ferrite Core Coil Bobbins

MILES · PLATTS





EP 13



EP13H1S10IS-00



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	1.5 Kg Minimum
Part number	EP13H1S10IS-00





Dimensions in millimetres





EP 13



EP13H2S10IS-00



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	1.5 Kg Minimum
Part number	EP13H2S10IS-00



Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com



MILES · PLATTS

EP Ferrite Core Coil Bobbins


EP 13



EP13CLIPM-04

Mounting Clip	
Clip material	Steel
Part No.	EP13CLIPM-04

Dimensions in millimetres




EP 13



EP13CLIPM-05

Mounting Clip	
Clip material	Steel
Part No.	EP13CLIPM-05

Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodin ferrite.com www.prodin ferrite.com





EP Ferrite Core Coil Bobbins

EP 13





EP13YOKEEM-00



Mounting Yoke	
Clip material	Steel
Clip plating	Tin (Sn)
Solderability	IEC 60 068-2 20, Part 2, Test Ta, method 1
Part No.	EP13YOKEEM-00

Dimensions in millimetres

EP 13





Mounting Spring	
Clip material	Steel
Part No.	EP13SPRINGM-00

Dimensions in millimetres

EP 13



EP13CLIPEM-00



Mounting Clip with Earth Pin	
Clip material	Phosphor Bronze
Clip plating	Tin (Sn)
Solderability	IEC 60 068-2 20, Part 2, Test Ta, method 1
Part No.	EP13CLIPEM-00

Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com




EP Ferrite Core Coil Bobbins


EP 17




EP17H1S08IS-00



SECTION A-A



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E41429 (M)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.60 Dia. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	1.5 Kg Minimum
Part number	EP17H1S08IS-00




Dimensions in millimetres

EP 17



EP17YOKEEM-00

Mounting Yoke	
Clip material	Steel
Clip plating	Tin (Sn)
Solderability	"IEC 60 068-2 20, Part 2, Test Ta, method 1
Part No.	EP17YOKEEM-00




Dimensions in millimetres

EP 17



EP17SPRINGM-00

Mounting Spring	
Clip material	Steel
Part No.	EP17SPRINGM-00



Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)


Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com





EP Ferrite Core Coil Bobbins


EP 20



EP20H1S10IS-00



Coil Former	
Coil former material	Phenolformaldehyde (PF), glass reinforced, flame retardant in accordance with "UL 94V-0"; UL file number E59481 (S)
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 deg. C, 3.5 s
Pin material	0.50 Sq. copper clad steel wire (ASTM.B.227) - Tin (Sn) plated
Solderability	"IEC 60068-2-20", Part 2, Test Ta, method 1, 235 deg. C, 2 s
Pin pull out force	1.5 Kg Minimum
Part number	EP20H1S10IS-00





Dimensions in millimetres

EP 20




EP20YOKEEM-00

Mounting Yoke	
Clip material	Steel
Clip plating	Tin (Sn)
Solderability	"IEC 60 068-2 20,Part 2,Test Ta,method 1
Part No.	EP20YOKEEM-00




Dimensions in millimetres

EP 20



EP20SPRINGM-00

Mounting Spring	
Clip material	Steel
Part No.	EP20SPRINGM-00



Dimensions in millimetres



Prodin Ferrite S.L.

Calle A, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com