





Toroid Mounts



TOROID MOUNT TR0010



Description	Type	Terminal type	No. of terminals available	Part No.
Toroid mount	72958	TBS 901	4 (2 x 2)	TR0010

Standard materials: Nylon 66 glass reinforced to UL94HB / Nylon 66 glass reinforced to UL94V0
Dimensions in millimetres

TOROID MOUNT TR0020



Description	Type	Terminal type	No. of terminals available	Part No.
Toroid mount	72959	TBS 901	4 (2 x 2)	TR0020

Standard materials: Nylon 66 glass reinforced to UL94HB / Nylon 66 glass reinforced to UL94V0
Dimensions in millimetres



Prodin Ferrite S.L.

CalleA, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)


Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com



Toroid Mounts


TOROID MOUNT TR0030



Description	Type	No. of pins available	Pin size	Part No.
Toroid mount	74671	8 (2 x 4)	0.635 Sq.	TR0030

Standard materials: Nylon 66 glass reinforced to UL94HB / Nylon 66 glass reinforced to UL94V0
 Pin material: Phosphor Bronze Dimensions in millimetres

TOROID MOUNT TR0040



Description	Type	Pin size	No. of pins	Part No.
Toroid mount	76791	0.635 Sq.	4 (2 x 2)	TR0040

Standard materials: Nylon 66 glass reinforced to UL94HB / Nylon 66 glass reinforced to UL94V0
 Pin material: Phosphor Bronze Dimensions in millimetres



Prodin Ferrite S.L.

CalleA, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10



info@prodinferrite.com www.prodinferrite.com



MILES · PLATTS

Toroid Mounts



TOROID MOUNT TR0050



Description	Type	Terminal type	No. of terminals available	Part No.
Toroid mount	79796	TBS 901	2	TR0050

Standard materials: Nylon 66 glass reinforced to UL94HB /
 Nylon 66 glass reinforced to UL94V0 Dimensions in millimetres

TOROID MOUNT TR0060



Description	Type	Pin size	No. of pins	Part No.
Toroid mount	76507	0.635 Sq.	6 (2 x 3)	TR0060

Standard materials: Nylon 66 glass reinforced to UL94HB /
 Nylon 66 glass reinforced to UL94V0 Dimensions in millimetres



Prodin Ferrite S.L.

CalleA, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10



info@prodinferrite.com www.prodinferrite.com



MILES · PLATTS

Toroid Mounts

TOROID MOUNT TR0070



Description	Type	Pin size	No. of pins	Part No.
Toroid mount	77379	0.635 Sq.	4 (2 x 2)	TR0070

Standard materials: Nylon 66 glass reinforced to UL94HB /
Nylon 66 glass reinforced to UL94V0
Pin material: Phosphor Bronze Dimensions in millimetres



Prodin Ferrite S.L.

CalleA, 27, 08620 Sant Vicenç dels Horts, Barcelona (Spain)

Tel.: +34 93 672 46 10

info@prodinferrite.com www.prodinferrite.com